

48
series



HA9888(48)TSD-C+-10S



48-10S with Faceplate Plus™



48-10S with SmartTray™

- Single line / Two line speakerphone.
- Double-Dial Pads™, Guests can make phone call from both phone base and handset (Optional).
- Magnetic Hook Switch™, achieve the better waterproof.
- Faceplate Plus™, full length faceplate and placard faceplate. (Optional).
- SmartTray™, keep the cord in right place tidily and easy to clean.(Optional).
- Support 10/5/3/0 Guest Service keys™ .
- Express Programmer™, Support R.P., Master Cloner and Hand-held Programming Cloner.
- EZ Message Light™, Message Waiting Light with retrieval function.
- AutoConnect™, Busy tone disconnected automatically.
- PrivacyGuard™, Last dialed number disappearing after a definite time.
- Flexible Data Port.
- Flash time programmable
- Mute button.
- SPKR and Handset volume three-step adjustable.
- Two line auto-select and three-way conference (Two line only).
- Ringer Volume HI/LOW adjustable.
- Handset with HAC.

Dimension: 228*169*97mm

Net Weight: 0.9kg

Product	Model Code	For Short
48 Single Line	HA9888(48)TSD-10S	48-10S
48 Two Line	HA9888(48)TSD-T10	48-T10
48 Single Line Double-dial	HA9888(48)TSD-C+-10S	48C+-10S
48 Two Line Double-dial	HA9888(48)TSD-C+-T10	48C+-T10

38
series



HA9888(38)TSD-10S



HA9888(38)TSD-T10



HWD9888(38)TSD-10S

- Single line/ Two line Speakerphone/ Single line/Two line cordless speakerphone.
- Support DECT2.4GHz DCT standard, 1.8GHz, 1.9GHz, DECT6.0 optional (Cordless).
- One Base-station supports up to 4 handsets (Cordless).
- Handset recharges the battery rapidly (Cordless).
- Low battery indicator (Cordless).
- Magnetic Hook Switch™, achieve the better waterproof.
- Support 10/5/3/0 Guest Service keys™.
- Express Programmer™, Support Remote Programming Master Cloner and Hand-held Programming Cloner.
- AutoConnect™, busy tone disconnected automatically.
- EZ Message Light™, Message Waiting Light with retrieval function.
- PrivacyGuard™, last dialed number disappearing after a definite time.
- Two line auto-select and three-way conference.
- Adjustable ringer volume for base and handset.
- Flash button with Flash time programmable (Standard as 600ms).
- Mute button optional.
- SPKR and Handset volume three-step adjustable.
- Ringer Volume HI/LOW adjustable.
- Handset with HAC.
- Desk and Wall Mountable.

Dimension: 225*165*90mm

Net Weight: 0.8kg

Product	Model Code	For Short
38 Single Line Basic	HA9888(38)TS-10	38-10
38 Single Line	HA9888(38)TSD-10S	38-10S
38 Two Line	HA9888(38)TSD-T10	38-T10
38 Single Line Cordless	HWD9888(38)TSD-10S	38WD-10S
38 Two Line Cordless	HWD9888(38)TSD-T10	38WD-T10



HA9888(32)TSD-A-10S



32-10S with Faceplate Plus™



32-10S with SmartTray™

- SmartTray™ optional, keep the cord in place tidily and easy to clean.
- Support 10/5/3/0 Guest Service keys™.
- Message Waiting Light and Ringer Indicator.
- Faceplate Plus™, full length faceplate and placard faceplate optional.
- Flexible Data Port.
- Indicators for Hold and SPKR.
- Hold, Flash and Redial.
- Ringer Volume HI/LOW adjustable.
- Handset with HAC.
- SPKR and Handset volume three-step adjustable.
- Desk and Wall Mountable.

Dimension: 220*150*95mm
 Net Weight: 0.8kg

Product	Model Code	For Short
32 Single Line Basic	HA9888(32)TS-10	32-10
32 Single Line Speakerphone	HA9888(32)TSD-10S	32-10S

41
series



HA9888(41)T-5



- Membrane touch keypad optional, better waterproof.
- Magnetic Hook Switch™, achieve the better waterproof.
- Customized faceplate.
- Flash, Pause.
- Redial, Hold.
- Backlit keypad.
- Message waiting indicator.
- Desk or wall mountable.

Dimension: 225*90*85mm

Net Weight: 0.4kg



HA9888(41)T-18



- Membrane touch keypad optional, better waterproof.
- Magnetic Hook Switch™, achieve the better waterproof.
- Flash, Pause.
- Redial, Hold.
- Backlit keypad.
- Message waiting indicator.
- Desk or wall mountable.

Dimension: 223*68*65mm

Net Weight: 0.3kg

Product	Model Code	For Short
41 Single Line	HA9888(41)T-5	41T-5
41 Single Line	HA9888(41)T-18	41T-18
41 Two Line	HA9888(41)T-T	41T-T



Bittel Headquarters
BITTEL ELECTRONICS CO., LTD.

ADD:NO.1 Rizhao N. Road. Rizhao China 276800
TEL:+86-633-2212125 2212103 FAX:+86-633-2212118
E-mail:sales@bittelcom.com
website:www.bittelcom.com